

Date	pH* (s.u.)	Temperature (Degrees C at 1m)	Disolved Oxygen @ 1m (mg/L)	Transparency* (m)
1/2/2019	8.78	9.7	12.8	2.00
1/7/2019	8.16	10.5	12.4	0.82
1/14/2019	8.86	12.6	14.7	0.84
1/21/2019	8.84	13.7	11.4	0.83
1/28/2019	8.90	13.7	12.1	0.71
2/4/2019	8.72	15.5	10.8	0.92
2/11/2019	8.76	12.2	17.6	0.78
2/19/2019	8.82	13.0	9.3	0.86
2/25/2019	8.52	11.3	10.1	1.00
3/4/2019	7.98	12.7	10.5	0.09
3/11/2019	7.96	12.8	10.1	0.31
3/18/2019	8.26	14.8	10.4	0.32
3/25/2019	8.26	17.8	11.4	0.47
4/1/2019	8.54	18.8	9.7	0.92
4/8/2019	8.40	21.7	8.7	1.14
4/15/2019	6.74	20.3	16.3	0.89
4/22/2019	8.40	23.7	13.9	0.62
4/29/2019	8.02	23.8	7.4	0.98
5/6/2019	8.02	23.6	8.3	1.16
5/13/2019	8.22	23.0	8.3	0.98
5/20/2019	8.38	21.9	7.5	0.55
5/28/2019	7.94	22.7	7.7	0.64
6/3/2019	8.28	24.7	9.6	0.83
6/10/2019	8.38	27.5	13.2	1.27
6/17/2019	8.34	28.5	11.6	0.84
6/24/2019	8.52	27.3	9.4	0.71
7/1/2019	8.54	29.4	8.7	0.77
7/8/2019	8.34	29.2	8.1	0.99
7/15/2019	8.56	30.1	8.4	0.96
7/22/2019	8.40	30.9	8.0	0.59
7/29/2019	8.58	31.7	7.8	0.71
8/5/2019	8.48	32.2	10.0	1.19
8/12/2019	8.53	30.8	7.4	0.84
8/19/2019	8.66	30.0	6.4	0.85
8/26/2019	8.94	30.5	9.3	0.62
9/3/2019	8.58	30.8	7.7	0.60
9/9/2019	8.66	30.0	7.1	0.58
9/16/2019	8.56	28.5	6.6	0.83
9/23/2019	9.00	26.8	6.8	0.64
10/7/2019	8.74	24.2	9.6	0.79
10/14/2019	8.56	23.4	8.4	0.55
10/21/2019	8.44	21.6	5.8	0.51
10/28/2019	8.70	19.3	8.6	0.45
11/4/2019	8.68	17.3	9.7	0.52

11/11/2019	8.74	19.6	12.4	0.79
11/18/2019	8.52	18.3	7.7	0.56
11/25/2019	8.70	16.4	8.9	0.51
12/2/2019	8.64	14.6	8.8	0.58
12/9/2019	8.80	15.3	10.0	0.66
12/16/2019	8.76	13.9	10.4	0.49
12/23/2019	8.82	12.1	10.2	0.57
12/30/2019	8.70	10.4	11.3	0.56

Annual Average	8.49	21.1	9.8	0.75
----------------	------	------	-----	------

* Result is an average